

KARNATAKA VETERINARY, ANIMAL AND FISHERIES SCIENCES UNIVERSITY,
BIDAR
COLLEGE OF FISHERIES, MANGALURU-575002

FCM/EB/2020-21

Date: 17/11/2020

Quotation Enquiry

Sub: Providing and fixing calcium silicate false ceiling to UG laboratory of Fish Processing Technology Department at Technology wing, College of Fisheries, Mangalore- Reg.


With reference to the above cited subject, sealed quotations are invited for following work. The quotation should reach the undersigned on or before 24/11/2020.

Please refer **QUOTATION FORM** page for detailed work description

Note:

1. Quotations received after last date and having description of the materials incomplete will not be entertained.
2. Quotations should be raised in favour of "Dean, College of Fisheries, Mangaluru"
3. Write compulsory reference number and quotations last date on sealed covers.
4. Rates should be quoted in Indian currency per unit.
5. Details of tax etc. should be mentioned separately.
6. GST/ PAN/ TIN numbers should be mentioned in the quotation.
7. Lowest quotation rate would be accepted.
8. The total amount for all the above items will considered for calculation and placing order is subject to meeting all the above conditions.

Yours Faithfully,


DEAN (FISHERIES)
College of Fisheries
Mangalore - 2

Copy to:

- 1) Notice Board, College of Fisheries, Mangaluru
- 2) Notice Board, Technology wing, Hoige Bazar
- 3) Assistant Comptroller, COF, Mangaluru for kind information
- 4) College Website: www.cofm.edu.in

P.T.O

QUOTATION FORM

Name of work: Providing and fixing calcium silicate false ceiling to UG laboratory of Fish Processing Technology Department at Technology wing, College of Fisheries, Mangalore

Amount of Estimate: Rs. 90000.00

Notification No. :

Last date for submission:

Total Number of Items: 01 (One only)

Sl. No.	Description of Item	Unit	Qty	Estimate Rate as per SR	Rate quoted by contractor	
					In figures	In words
1	2	3	4	5	6	7
1.	Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanizing @ 120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24 x 38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm centre to centre, and cross 'T' of size 24 x 28 mm made out of 0.33 mm (minimum) sheet, 1200 mm long spaced between main 'T' at 600 mm centre to centre to form a grid of 1200 x 600 mm and secondary cross 'T' of length 600 mm and size 24 x 28 mm made of 0.33 mm thick (minimum) sheet to be inter locked at middle of the 1200 x 600 mm panel to from grid of size 600 x 600 mm, resting on periphery walls / partitions on a Perimeter wall angle pre-coated steel of size (24 x 24 x 3000 mm made of 0.40 mm thick (minimum) sheet with the help of rawl plugs at 450 mm centre to centre with 25 mm long dry wall screws at 230 mm intervals and laying 15 mm thick densified edges calcium silicate ceiling tiles of approved texture in the grid, including cutting / making opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using G.I. slotted cleats of size 25 x 35 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanised steel level clips of size 85 x 30 x 0.80mm spaced at 1200 mm centre to centre along main 'T', bottom exposed with 24 mm of all T sections shall be pre-painted with polyester baked paint for all heights, as per specifications, drawings and as directed by Engineer-in-charge.	Sqm	48.23	1852.93		

No. of correction ()
No. of Over writing ()

Signature of Contractor

Professor and Head